




PreSet Basic

Ready wherever it's needed



Setting up and aligning

PreSet Basic is the ideal setup and presetting station for a quick check of the Z-plane or to align workpieces in the Y-axis. Its stable trolley enables you to place it wherever it makes most sense in terms of work.



TECHNICAL DETAILS

PreSet Basic	UPC	PalletSet W	UnoSet
Operational weight (kg)	230	220	230
Max. load (kg)	100	25	10
Gauge gradation (mm)	0.002	0.002	0.002
Probe system	analog dial gauge on flexible stand		
Space requirements (mm)	800 x 500 x 1000		



ER-057206

PreSet Basic UPC

Version	Presetting station with trolley, measuring top, UPC chuck and probe
Load	100 kg
Application	Setting and aligning of workpieces on UPC pallets

01 | Trolley

Mobility on the stable trolley: thanks to the integrated casters, the station can so on be placed where the work is.

02 | Measuring top

Measuring top of the best quality natural stone in accordance with DIN 876/00, supplied with certificate and measuring protocol.

03 | Modular design

Tooling system according to your choice (here: PalletSet W). The presetting station has a modular design. Simply choose the tooling system you need.



ER-057205

PreSet Basic PalletSet W

Version	Presetting station with trolley, measuring top, PSW chuck and probe
Load	25 kg
Application	Setting and aligning of workpieces on PalletSet W holders

04 | Borehole pattern

The standard borehole pattern enables you to fit all sorts of combinations of stone slab and EROWA tooling systems. If necessary, you can also change from one system to another if the station is already there on your shop floor.

05 | Dial gauge

The dial gauge on the flexible stand enables you to align workpieces in the Z-plane or in the Y-axis along the alignment checking rail.



ER-057204

PreSet Basic UnoSet


Version	Presetting station with trolley, measuring top, UnoSet chuck and probe
Load	10 kg
Application	Setting and aligning of workpieces on UnoSet holders

Sensible accessories

ER-048377 UPC alignment pallet




- Application To align angular position and to determine the center of UPC chucks.
- Please note System parallelism 0.005 mm.
Borehole concentricity 0.005 mm.



ER-055158 Alignment pallet for PalletSet W




- Version Hardened, ground gauge with lateral reference surfaces and two defined reference boreholes.
- Application To determine the reference point and to align chucks.



ER-012727 Reference pin UnoSet



- Version Hardened, ground, borehole $\varnothing$ 8 mm.
- Application To determine reference measurements on horizontal chucks.



ER-001516 Detergent Lithoclean bottle 0.5 liter

- Application Cleaning agent for granite tables.
- Version Spraybottle containing 0.5 liters.



ER-007796 Master gauge PreSet 3D / Uno



- Application To check the Z=0 level on the PreSet Basic WEDM setup stations.

