



ER-100000

EROWA Robot Dynamic 150L

ERD150L


Technical data

Automatic gripper change	Yes
Robot footprint	2750 x 3400 mm
Robot height	2610 mm
Max. number of machines	12
Max. transfer weight	150 kg
Max. workpiece size (incl. pallet)	400 x 400 x 400 mm

Technology



Applications



+ Add to watchlist



ER-154000

EROWA Robot Dynamic 250

ERD250

Technical data

Robot footprint	2600 x 3700 mm
Robot height	3450 mm
Max. number of machines	12
Max. transfer weight	250 kg
Max. workpiece size (incl. pallet)	800 x 800 x 500 mm

Technology



Applications



+ Add to watchlist



ER-140000

EROWA Robot Dynamic 500 (AD3)

ERD500E3


Technical data

Robot footprint	2600 x 3700 mm
Robot height	3450 mm
Max. number of machines	12
Max. transfer weight	500 kg
Max. workpiece size (incl. pallet)	800 x 800 x 500 mm

Technology



Applications



+ Add to watchlist

Further information

Mounting Interface



For milling, sinker, and wire EDM processes, as well as measurement applications. Enables flexible integration of up to 12 machines from different manufacturers and technologies.

Operational flexibility



Mixed operation of different pallet types and flexible combination of workpiece and electrode handling.

Modularity



Linear robots can be expanded modularly, even after installation, and adapt flexibly to growing production requirements.

Workpiece Identification



Automatic workpiece identification (EWIS) ensures reliable processes and reduces operator errors during unmanned operation.

Operation



Ergonomic loading and unloading via the loading station, as well as easy operation thanks to pull-out magazine levels.

Compatibility



ITS / PM / PC 210 / UPC / MTS 400/500 / PalletSet W